

**MAC
TOOLS**

WORKSHOP TOOLS CATALOGUE

2023/24



WELDERS

GENERATORS

HEATERS

COMPRESSORS

PRESSURE WASHERS

WORKSHOP FANS

DRILLS

STARTER / CHARGERS

HYDRAULICS

WELCOME TO THE MAC TOOLS WORKSHOP PRODUCT CATALOGUE

Containing the latest range of **Mac Tools workshop machinery and equipment**, this catalogue is designed to help you select the best tools for the job in hand.

The comprehensive equipment range for 2023/24 offers high quality & performance, maximum value and a wide range of options. To make life easy, the catalogue is split into simple categories to allow you to shop the range quickly.

Whatever your machinery and equipment needs, we've got you covered.

PRODUCT FINDER

WELDING EQUIPMENT	03 - 06
WORKSHOP & AUTO	07 - 12
CLEANING	13 - 17
HEATING	18 - 19
AIR COMPRESSORS	20 - 24
BOOSTERS & CHARGERS	25 - 27
STARTER CHARGERS	28
GENERATORS	29 - 30
HYDRAULICS	31 - 34
CLIMATE CONTROL	35 - 36




01293M

MAC AUTOPLUS MINI 130 SYNERGIC INVERTER WELDER

- 3-in-1 machine; Gas and Gasless MIG and ARC welding
- User-friendly synergic control for better, easier welding
- Infinitely variable power output adjustment for versatility
- Extra low current function for welding thinner materials
- Uses Ø 100mm mini spools for MIG welding applications
- Superior welding arc stability compared to others

**2-IN-1 FUNCTION
MIG/MMA**

SYNERGIC



01301M

MAC AUTOPLUS ECO 180 MIG/ARC INVERTER WELDER

- Dual Gas/Gasless MIG and ARC welding functions
- Infinitely variable output adjustment for control
- Dual LED display panel shows both volts and amps
- Compatible with 01303M Welding Cart & 01304M Welding Trolley
- Compact and portable design with carry handle
- Supplied with torch and accessories

**ECO
DESIGN**

**MIG TORCH
INCLUDED**

**2-IN-1
FUNCTION**



01224

MAC AUTOPLUS ECO 200 MIG/ARC INVERTER WELDER

- Dual Gas/Gasless MIG and ARC welding functions
- Infinitely variable output adjustment for control
- Dual LED display panel shows both volts and amps
- Compatible with SIP Welding Cart and Trolley
- Compact and portable design with carry handle
- Supplied with torch and accessories

ECO DESIGN

**MIG TORCH
INCLUDED**

**2-IN-1
FUNCTION**



01405M

MAC HG2301 MIG/ARC/TIG SYNERGIC INVERTER WELDER

- Synergic curves for mild and stainless steels or aluminium
- Uses solid, flux-cored, stainless steel or aluminium wire types
- 4-in-1 machine; Gas and Gasless MIG, ARC and TIG processes
- Select your settings for automatically set weld parameters
- Extra low current function for welding thinner materials
- Microprocessor-controlled for added performance

16A 230V

SYNERGIC

MIG
TORCH
INCLUDED



01292M

MAC HG2300MP MIG/ARC/TIG INVERTER WELDER

- 3-in-1 inverter; MIG, ARC and TIG welding processes
- Infinitely variable output settings for high versatility
- Extra low current function for welding thinner material
- Lightweight and compact design for simple portability
- High performance in both Gas and Gasless MIG modes
- Integrated digital control panel for high accuracy
- Latest IGBT inverter technology platform

16A 230V



01203

MAC AC/DC 200A TIG INVERTER WELDER

- AC and DC output currents and high duty cycles
- HF TIG, Lift-ARC & TIG and MMA/ARC processes
- TIG Pulse facility designed for easier precision welds
- 9-stage parameter adjustment helps suit requirements
- Low current output ideal for welding thin material
- High versatility, even welding aluminium!

WELDS ALUMINIUM

PERFECT PARTNER
WITH 01296M



01296M

MAC WELDING FOOT PEDAL

- Provides hands-free power output control whilst welding
- Removes the need stop, reducing overall interruptions
- Ideal for the MAC AC/DC 200A TIG Inverter Welder
- Increases inverter ease-of-use and high versatility
- 2mtr heavy-duty cable with plastic connectors

PERFECT
PARTNER
WITH 01203



01349M

MAC HG250 INVERTER PLASMA CUTTER

- Infinitely variable output settings for added versatility
- 5.5mm quality cut and up to 8mm severing capacity
- Integrated plasma torch with strike guard for greater safety
- Parts-in-place safety circuit for added user protection
- Adjustable air regulator for maintaining correct pressure
- Supplied with earth lead, shields, electrodes, tips, goggles



13A 230V



01107

MAC 40A PLASMA INVERTER

- 15A to 40A output current; 40A @ 60% duty cycle
- High duty cycle for longer cutting times than others
- 10mm quality cut and 12mm severance cutting capacity
- Infinitely variable power output for high versatility
- One-man lift for easy portability and added safety
- Parts-in-place safety circuit for peace-of-mind

16A 230V



01274M

MAC HG600 INVERTER PLASMA CUTTER

- 14mm quality cut and 25mm severing capacity
- Lightweight and compact design for improved portability
- Infinitely variable power output settings for versatility
- Pilot arc ignition cuts through painted and coated surfaces
- Low pressure air sensors and parts-in-place safety circuit

16A 230V



01229M

MAC FX PORTABLE WELDING FUME EXTRACTOR

- 250m³/hr max. flow rate and 110m³/hr max. suction
- Adjustable extraction hose for simple positioning
- Heavy-duty 3-stage effective filtration up to 85%
- Ideal for intermittent operation with adjustable speed
- Complies with all current weldable material regulations
- Heavy-duty steel casing with powder-coated finish



13A 230V



03987

MAC CARBON EFFECT AUTOMATIC WELDING HEADSHIELD

- High-quality lightweight design with carbon finish
- Adjustable welding, cutting and grinding mode settings
- 1/10,000sec light-to-dark response time for sudden arcs
- Solar panel-powered with 2x Lithium CR2450 3v batteries
- 4 light sensors and shielding function test button



01389M

MAC PAPR WR1000 ELECTRONIC WELDING HEADSHIELD

- 98mm x 43mm viewing area with TRUE COLOUR HD LCD lens technology
- Includes air-fed headshield, air blower unit, battery, charger and hoses
- 1/30,000sec light-to-dark response time for sudden arc protection
- DIN 9-13 variable welding shade control and DIN 4 for grinding
- Powerful air purification; EN12941 (TH2) respirator filtration
- Audible and visual respirator clogged filter alarm



02816

MAC RACING EAGLE PANORAMIC ELECTRONIC HEADSHIELD

- 100mm x 83mm view area with panoramic peripheral windows
- 9-13 SHADE MIG/ARC/TIG, 4 SHADE grinding, 5-9 SHADE plasma
- 1/10,000sec light-to-dark response time for sudden arcs
- TRUE COLOUR HD LCD lens technology for enhanced clarity
- Adjustable padded headband for increased user comfort
- Easy side-mounted sensitivity and control adjustment

TRUE COLOUR HD LCD TECHNOLOGY

01303M

MAC 3 TIER WELDING CART

- Heavy-duty wheel-mounted cart with all-metal design
- Holds larger gas bottles up to 50kg via rear storage shelf
- Quality chains keep bottles and accessories tidy and secure
- Multiple shelves and holding hooks for torches and consumables
- Ideal for a range of heavy-duty welders and inverters – see pages 3-5



01304M

MAC LARGE CYLINDER WELDING TROLLEY

- Heavy-duty wheel-mounted trolley with all-steel design
- Holds larger cylinders up to 99kg on rear-facing plate
- Cylinders can be secured with pull-through chains
- Large solid wheels ensure great movability



01238M

MAC B16 12-SPEED 450W BENCH PILLAR DRILL

- 12 spindle speeds powered by a 450w motor from a 230v (13A) supply
- Supports drilling with ferrous and non-ferrous metals, hard and soft woods and high-density plastics
- High-power brushless induction motor delivers power and consistency
- Fitted with drilling depth stop helps to maintain quality and minimise waste
- Adjustable drill table for greater accuracy and three-lever handle
- Safety interlock switch for safe motor belt adjustment

13A
230V



01239M

MAC PRO F16 16-SPEED 550W FLOOR PILLAR DRILL

- 16 spindle speeds powered by a 550w motor from a 230v (13A) supply
- Supports drilling with ferrous and non-ferrous metals, hard and soft woods and high-density plastics
- High-power brushless induction motor delivers power and consistency
- Fitted with drilling depth stop helps to maintain quality and minimise waste
- Adjustable drill table for greater accuracy and three-lever handle
- Safety interlock switch for safe motor belt adjustment

13A
230V



01240M

MAC PRO F20 12-SPEED 1100W FLOOR PILLAR DRILL

- 12 spindle speeds powered by a 1100w motor from a 230v (13A) supply
- Supports drilling with ferrous and non-ferrous metals, hard and soft woods and high-density plastics
- High-power brushless induction motor delivers power and consistency
- Fitted with drilling depth stop helps to maintain quality and minimise waste
- Adjustable drill table for greater accuracy and three-lever handle
- Safety interlock switch for safe motor belt adjustment

13A
230V



LIQUID COOLED

16A 230V

01231M

MAC 3700W INDUCTION HEATER

- Powerful and compact 3700w unit with 2mtr 'one touch' torch
- Liquid-cooled induction cable and torch with cooling system
- Integrated fan-cooled radiator with dual fans
- Lightweight unit with integrated carry handle
- Digital display indicates variable power adjustments
- Integrated timer function helps maintain consistency

01255

MAC 1500W INDUCTION HEATER KIT

- Powerful and compact 1500w unit with fan-cooled torch
- 4pc induction kit with interchangeable tools, including coils and lead
- Intuitive 'one touch' induction torch trigger
- Simple to power from a 230v (13A) supply
- Lightweight unit with shoulder strap
- Supplied with durable carry case

13A
230V



01122

MAC 6" PROFESSIONAL BENCH GRINDER WITH WIRE WHEEL

- Heavy-duty S1 rated motor designed for continuous use
- Robust cast steel construction for enhanced stability
- Fine and coarse grit wheels for large and small removal
- Adjustable eye guards and tool rests for versatility
- Integrated NVR switch for added safety
- Additional wire wheel supplied



01123

MAC 8" PROFESSIONAL BENCH GRINDER WITH WIRE WHEEL

- Heavy-duty S1 rated motor designed for continuous use
- Robust cast steel construction for enhanced stability
- Fine and coarse grit wheels for large and small removal
- Adjustable eye guards and tool rests for versatility
- Integrated NVR switch for added safety
- Additional wire wheel supplied



01124

MAC 10" PROFESSIONAL BENCH GRINDER

- Heavy-duty S1 rated motor designed for continuous use
- Robust cast steel construction for enhanced stability
- Fine and coarse grit wheels for large and small removal
- Adjustable eye guards and tool rests for versatility
- Integrated NVR switch for added safety

13A 230V

IMPROVED DESIGN



01020

MAC 14" 230V ABRASIVE CUT-OFF SAW

- Adjustable cutting angle with integrated 0° to 45° mitre function
- Adjustable heavy-duty vice for secure metal handling
- Easy-to-replace abrasive disc with quick flip guard
- Robust base for frequent handling and improved stability
- Stronger head support with industrial grip 'n' trigger

13A 230V



01276M

MAC 12V DIESEL TRANSFER PUMP

- Compact and lightweight design for portability
- Powerful 160w DC motor with copper-wound armatures
- High-quality aluminium nozzle for added durability
- Supplied with non-return valve to aid self-priming
- Built-in bypass system for start and stop operation
- 10mtr pumping head and 2mtr suction head

12V DC SUPPLY



24V DC SUPPLY



01278M

MAC 12V DIESEL TRANSFER PUMP WITH METER

- Compact design with wall-mountable bracket
- Meter with 4 digit subtotal and 8 digit grand total
- Powerful 160w DC motor with copper-wound armatures
- Supplied with non-return valve to aid self-priming
- Built-in bypass system for start and stop operation
- 10mtr pumping head and 2mtr suction head

12V DC SUPPLY



01279M

MAC 230V DIESEL TRANSFER PUMP WITH METER

- Compact design with wall-mountable bracket
- Meter with 4 digit subtotal and 8 digit grand total
- Powerful 550w AC motor with copper-wound armatures
- Supplied with non-return valve to aid self-priming
- Built-in bypass system for start and stop operation
- 15mtr pumping head and 2mtr suction head

13A 230V



01228M

MAC 70LTR OIL DRAINER / EXTRACTOR

- Heavy-duty 70ltr steel tank and large 10ltr collection tray
- Wheel and castor-mounted for manoeuvrability and positioning
- 1040mm to 1500mm adjustable height range for versatility
- Integrated oil level indicator tube on the oil reservoir
- Pressure gauge, safety pressure relief valve, air silencer
- Compact design with a small physical footprint



- 01231 **GRIPPAZ ORANGE GLOVES x50 (M)**
- 01232 **GRIPPAZ ORANGE GLOVES x50 (L)**
- 01233 **GRIPPAZ ORANGE GLOVES x50 (XL)**
- 01234 **GRIPPAZ ORANGE GLOVES x50 (XXL)**

- Patented fish scale double-sided grip technology
- 100% silicone latex-free nitrile glove means no degradation when in contact with oil, chemicals and ATF
- 3x thicker than standard nitrile gloves for high tear resistance
- Can be used in touchscreens
- Single pair will last all day
- Available in multiple sizes



01211

MAC T300 FULLY AUTOMATIC TYRE CHANGING MACHINE


- Heavy-duty fully automatic tyre changer
- 3-way pneumatic assist for low-profile and run-flat tyres
- 10" to 24" rim clamping (22" external), 13" max. rim width
- Assist-arm with travelling arm, static roller and bead lifter
- High-quality construction perfect for high-volume use
- 1-PHASE 240v supply (3-PHASE available on request)



01212

MAC T500 SUPER AUTOMATIC TYRE CHANGING MACHINE

- Heavy-duty design with increased clamping and taller column
- Perfect for high-volume tyre shops or alloy wheel specialists
- 10" to 26" rim clamping (24" external), 15" max. rim width
- Bead breaker stroke limiter for shallow-weld rims such as BMW
- Tapered main column for extra rigidity and longevity
- 1-PHASE 240v supply (3-PHASE available on request)



01213

MAC TC500 PRO FULLY AUTOMATIC TYRE CHANGING MACHINE

- Heavy-duty design with increased clamping and taller column
- Perfect for high-volume tyre shops or alloy wheel specialists
- 10" to 26" rim clamping (24" external), 15" max. rim width
- Bead breaker stroke limiter for shallow-weld rims such as BMW
- Tapered main column for extra rigidity and longevity
- 1-PHASE 240v supply (3-PHASE available on request)



01214

MAC WB100 MOTORISED WHEEL BALANCER

- High specification quality wheel balancer with TFT display and 2D data entry
- Integral full colour TFT display with live visual of rim and guidance for weight location
- Automatic input of rim offset and diameter (2D)
- Ability to hide wheel weights behind rim spokes
- Up to 26" rim diameter



01215

MAC WB90 PRO MOTORISED WHEEL BALANCER WITH 3D SAPE

- Same specifications as the 01214 MAC WB100, but offers fully automatic 3D data entry of all 3 parameters

01227

MAC CW2800 ELECTRIC PRESSURE WASHER

- 5100psi (351bar) EWP® turbo pressure and 510ltr/hr flow rate
- Industrial steel lance with adjustable head and turbo lance
- Heavy-duty brushless induction motor for increased durability
- Total Stop function for reduced energy use and wear and tear
- Extra-large wheels for easy movement over uneven terrain
- Versatile 8mtr hose with integrated reel and hanger

**BRUSHLESS
INDUCTION MOTOR**

**TOTAL
STOP**

ITALIAN
DESIGN

13A 230V



01190M

MAC CW3000 PRO ELECTRIC PRESSURE WASHER

- 1740psi (120bar) max. pressure and 480ltr/hr flow rate
- Variable pressure output via a fitted adjustable regulator
- Heavy-duty brushless induction motor for increased durability
- Total Stop function for reduced energy use and wear and tear
- Extra-large wheels for easy movement over uneven terrain
- 8mtr hose and industrial steel lance with adjustable nozzle

BRUSHLESS INDUCTION MOTOR

ITALIAN
DESIGN

13A 230V

TOTAL STOP

01281M

MAC CW-P 145AX PETROL PRESSURE WASHER

- 2105psi (145bar) high pressure water jet and 420ltr/hr flow rate
- Fixed pressure Axial pump with aluminium head and detergent injector
- Easy pull-start 3.2hp EURO V petrol engine for powerful performance
- Compact and hand-portable design on 4 feet for easy manoeuvrability
- 2mtr water suction with hose and filter strainer head included
- 7.5mtr high pressure hose perfect for harder-to-reach areas



01283M

MAC CW-P 215AX PETROL PRESSURE WASHER

- Variable 3135psi (216bar) high pressure water jet and 522ltr/hr flow rate
- Brass-headed adjustable pressure Axial pump for variable pressure and flow
- Easy pull-start 6.5hp EURO V petrol engine for powerful performance
- Sturdy frame with foam grip handle and fitted wheels for mobility
- 2mtr water suction with hose and filter strainer head included
- 7.5mtr reinforced high pressure hose for harder-to-reach areas



01300M

MAC TPHGP570/150 PETROL PRESSURE WASHER

- 2175psi (150bar) max. pressure and 570ltr/hr flow rate
- Powerful HONDA™ GP160 163cc EURO V petrol engine
- Heavy-duty brass-headed COMET Axial pump for durability
- Space-saving folding frame for easy mobility and storage
- Large pneumatic tyres for easy movement on uneven terrain
- Low oil protection helps to prevent engine damage

POWERED by
HONDA[™]
2 year engine warranty

ASSEMBLED &
TESTED IN THE UK

EURO V ENGINE



01187

MAC 540/150 2175PSI HOT WATER PRESSURE WASHER

- 2175psi (150bar) max. pressure and 540ltr/hr flow rate
- Brass-headed COMET Axial plunger pump for an increased lifespan
- Heavy-duty 2800rpm 2-pole brushless induction motor for durability
- 90°C hot output temperature reached via powerful diesel-fired boiler
- Adjustable low pressure detergent suction and integrated 4.5ltr tank
- Total Stop function for reduced energy use and wear and tear



13A 230V

COMET PUMP INCLUDED

BRUSHLESS INDUCTION MOTOR

08953M

MAC 480/150 HOT WASH ELECTRIC PRESSURE WASHER

- 2030psi (140bar) max. pressure and 480ltr/hr flow rate
- Brass-headed COMET Axial plunger pump for durability
- 90°C max. hot water temperature via diesel-fir boiler
- Total Stop function for reduced energy use and wear and tear
- Large wheels for easy movement over uneven terrain
- Adjustable low pressure detergent suction



COMET PUMP INCLUDED

BRUSHLESS INDUCTION MOTOR

13A 230V



01188

MAC 600/140 2030PSI HOT WATER PRESSURE WASHER (4-POLE MOTOR)

- 2030psi (140bar) max. pressure and 600ltr/hr flow rate
- Brass-headed in-line COMET Triplex crankshaft pump for longer life
- Heavy-duty 4-pole slow-running brushless induction motor for durability
- 110°C hot output temperature reached via powerful diesel-fired boiler
- Pistol grip lance with water pressure regulator and swivel connector
- Adjustable low pressure detergent suction and integrated 3.5ltr tank



13A 230V

COMET PUMP INCLUDED

BRUSHLESS INDUCTION MOTOR



01137

MAC 600/150 2030PSI HOT WATER PRESSURE WASHER (2-POLE MOTOR)

- 2030psi (140bar) max. pressure and 600ltr/hr flow rate
- Brass-headed COMET Axial plunger pump for an increased lifespan
- Heavy-duty 2800rpm 2-pole brushless induction motor for durability
- 110°C hot output temperature reached via powerful diesel-fired boiler
- Quality metal lance with adjustable nozzle and rubber shroud protection
- Adjustable low pressure detergent suction and integrated 3.5ltr tank

13A 230V



COMET PUMP INCLUDED

BRUSHLESS INDUCTION MOTOR



01011

MAC PH660/120HDS HOT STEAM PRESSURE WASHER

- Variable 1740psi (120bar) pressure and variable 660ltr/hr flow rate
- Brass-headed in-line COMET Triplex crankshaft pump for longer life
- Heavy-duty 4-pole slow-running brushless induction motor for durability
- 85°C to 140°C hot output temperature via powerful diesel-fired boiler
- Low pressure detergent suction with 3.5ltr detergent tank and flow tap
- Total Stop function for reduced energy use and wear and tear

**13A
230V**

**HIGH
FLOW**

**TOTAL
STOP**

**COMET PUMP
INCLUDED**

**BRUSHLESS
INDUCTION MOTOR**



01012

MAC PH900/200HDS HOT STEAM PRESSURE WASHER

- Variable 2900psi (200bar) pressure and variable 900ltr/hr flow rate
- Brass-headed in-line COMET Triplex crankshaft pump for longer life
- Heavy-duty 4-pole slow-running brushless induction motor for durability
- 85°C to 140°C hot output temperature via powerful diesel-fired boiler
- Low pressure detergent suction with 3.5ltr detergent tank and flow tap
- Total Stop function for reduced energy use and wear and tear

**32A
400V**

**HIGH
FLOW**

**TOTAL
STOP**

**COMET
PUMP
INCLUDED**

**BRUSHLESS
INDUCTION
MOTOR**

01226

MAC 20LTR 1400W VALETING MACHINE

- Large 20ltr collection tank for minimal debris emptying
- Easy switching between vacuuming and detergent settings
- 1.5mtr hose, 2 detergent attachments, 2 tubes, brush and crevice tool
- 2 large rear wheels and swivel castors for easy movement
- 3ltr detergent tank for increased cleaning power
- Rear drain plug for simple waste water removal



01014

MAC SD1260AC WALK-BEHIND FLOOR SCRUBBER DRYER

- 1260mtr³/hr mains-powered scrubbing performance
- Large 360mm scrubbing area and 440mm squeegee width
- Easy access to mechanical parts without the need for tools
- Powerful mechanical traction ideal for stubborn cleaning
- Large 11ltr cleaning and 13ltr recovery solution tanks
- Wheel-mounted folding design for easy mobility



13A 230V



01015

MAC SD1260BAT WALK-BEHIND FLOOR SCRUBBER DRYER

- 1260mtr³/hr battery-powered scrubbing performance
- Large 360mm scrubbing area and 440mm squeegee width
- Easy access to mechanical parts without the need for tools
- Powerful mechanical traction ideal for stubborn cleaning
- Large 11ltr cleaning and 13ltr recovery solution tanks
- Wheel-mounted folding design for easy mobility



BATTERY POWERED



01016

MAC SD1600AC WALK-BEHIND FLOOR SCRUBBER DRYER

- 1600mtr³/hr mains-powered scrubbing performance
- Large 450mm scrubbing area and 540mm squeegee width
- Easy access for cleaning recovery tank and the floater
- Powerful mechanical traction ideal for stubborn cleaning
- Large 30ltr cleaning and 35ltr recovery solution tanks
- Wheel-mounted design for easy mobility



13A 230V



01017

MAC SD1600BAT WALK-BEHIND FLOOR SCRUBBER DRYER

- 1600mtr³/hr battery-powered scrubbing performance
- Large 450mm scrubbing area and 540mm squeegee width
- Easy access for cleaning recovery tank and floater
- Powerful mechanical traction ideal for stubborn cleaning
- Large 30ltr cleaning and 35ltr recovery solution tanks
- Wheel-mounted design for easy mobility



BATTERY POWERED



09586P

MAC UNIVERSAL HALOGEN HEATER WITH CONTROL & STAND

- 6,820BTU/hr (2kW) powerful heating output
- High efficiency gold HeLeN-coated halogen bulb
- Versatile design for wall or stand-mounted options
- Controlled via switch or an easy-to-use remote control
- Perfect for indoor and outdoor applications
- Supplied with stand



13A
230V

ENERGY EFFICIENT



01244

MAC TURBOFAN 3001 ELECTRIC FAN HEATER

- Variable heat power settings up to 9,554BTU/hr (2.8kW)
- Positive Thermal Coefficient (PTC) technology
- Compact and lightweight design for great portability
- Powder-coated steel body with painted finish
- Carry handle allows the unit to be safely moved

13A
230V



01198

MAC TURBOFAN 2000 ELECTRIC FAN HEATER

- 3 settings up to max. 6,820BTU/hr (2kW) heat output
- Built with PTC element for safer temperature control
- Lightweight and compact with legs and a carry handle
- Heavy-duty powder-coated finish for added durability
- Adjustable tilt control for quick and easy positioning
- Thermostatically-controlled automatic shut-off



13A
230V



01232M

MAC 74XRDT INFRARED DIESEL/PARAFFIN HEATER

- 70,000BTU/hr (20kW) powerful heating output
- Powder-coated finish for durability and long life
- Automatic cut-off and LED thermostatic control
- Suited for diesel or paraffin-powered operation
- Raised 12ltr steel fuel tank for added protection
- Heavy-duty powder-coated finish for durability





01131

MAC 75,000BTU DIESEL HEATER

- 75,000BTU/hr (20kW) heat output
- 530mtr³ (18,717ft³) approx. heating area
- 18ltr heavy-duty steel fuel tank
- High-quality low maintenance air pump
- Heavy-duty powder-coated finish



01132

MAC 100,000BTU DIESEL HEATER

- 100,000BTU/hr (30kW) heat output
- 700mtr³ (24,720ft³) approx. heating area
- 26ltr heavy-duty steel fuel tank
- High-quality low maintenance air pump
- Combustion chamber cool-down safety feature
- Heavy-duty powder-coated finish



01133

MAC 140,000BTU DIESEL HEATER

- 140,000BTU/hr (41kW) heat output
- 1060mtr³ (37,434ft³) approx. heating area
- 65ltr heavy-duty steel fuel tank
- High-quality low maintenance air pump
- Combustion chamber cool-down safety feature
- Heavy-duty powder-coated finish



01143

MAC 175,000BTU DIESEL HEATER

- 175,000BTU/hr (50kW) heat output
- 1230mtr³ (43,437ft³) approx. heating area
- 65ltr heavy-duty steel fuel tank
- High-quality low maintenance air pump
- Combustion chamber cool-down safety feature
- Heavy-duty powder-coated finish



01191

MAC 215,000BTU DIESEL HEATER

- 215,000BTU/hr (60kW) heat output
- 1500mtr³ (52,972ft³) approx. heating area
- 65ltr heavy-duty steel fuel tank
- High-quality low maintenance air pump
- Combustion chamber cool-down safety feature
- Heavy-duty powder-coated finish





01246

MAC 100LTR 230V AIR COMPRESSOR

- Belt-driven transmission for positive transmission drive
- 100ltr air receiver in a compact space-saving design
- Twin cylinder splash oil-lubricated pump
- Heavy-duty 3hp brushless induction motor
- Adjustable air regulator optimises pressure

**13A
230V**

**BRUSHLESS
INDUCTION
MOTOR**



01248

MAC 150LTR 230V AIR COMPRESSOR

- Belt-driven transmission for positive transmission drive
- 150ltr air receiver in a compact space-saving design
- Twin cylinder splash oil-lubricated pump
- Heavy-duty 3hp brushless induction motor
- Adjustable air regulator optimises pressure

13A 230V

BRUSHLESS INDUCTION MOTOR



01250

MAC 200LTR 230V AIR COMPRESSOR

- Belt-driven transmission for positive transmission drive
- 200ltr air receiver in a compact space-saving design
- Twin cylinder splash oil-lubricated pump
- Heavy-duty 3hp brushless induction motor
- Adjustable air regulator optimises pressure

**13A
230V**

**BRUSHLESS
INDUCTION
MOTOR**

01294M

MAC 207LTR TANDEM BELT-DRIVEN COMPRESSOR

- No-nonsense workhorse belt-driven compressor
- 2x heavy-duty 2-cylinder splash oil-lubricated pumps
- 2x 2-pole brushless induction motors for long life and performance
- Single stage twin cylinder compression for increased air production
- Heavy-duty cast iron barrel for higher heat efficiency and life
- Force air cooling via pump flywheel and cooling effect

32A 230V

BRUSHLESS INDUCTION MOTOR



Airhub

**WALL MOUNTED
AIR COMPRESSOR**

01240

MAC AIRHUB WALL-MOUNTED COMPRESSOR

- Low-noise wall-mounted air compressor with 9mtr retracting hose
- Compact design provides 8bar pressure in space-saving format
- Quick and easy use with 180° hose rotation for versatility
- Sturdy body houses a fully-enclosed pump and hose reel
- Maintenance-free environmentally-friendly oilless technology
- Lightweight and easy-to-install on walls or bulkheads



Inflating



Blowing



Cleaning



Stapling



1.5HP
1.1kW

8 BAR
116PSI

9MTR
HOSE

LOW
NOISE

OIL
FREE



SUPPLIED WITH 5 PIECE AIR KIT



QUICK RELEASE COUPLER



SELF RETRACTING HOSE



COMPACT DESIGN



IDEAL FOR A VARIETY OF USES AROUND THE GARAGE AND HOME WORKSHOP

04381M

MAC QT24/10 OIL-FREE LOW NOISE COMPRESSOR

- Innovative quiet system for reduced 59dB operating noise level
- Slow-running 1.3hp 4-pole brushless induction motor for longer life
- Oil-free system for high-quality and clean air supply
- Fan-cooled twin cylinder motor and pump units
- Built-in pressure cut-off switch and air regulator

13A 230V

59B NOISE



01290M

MAC QT50/10 OIL-FREE LOW NOISE COMPRESSOR

- Innovative quiet system for reduced 59dB operating noise level
- Slow-running 1.3hp 4-pole brushless induction motor for longer life
- Oil-free system for high-quality and clean air supply
- Fan-cooled twin cylinder motor and pump units
- Built-in pressure cut-off switch and air regulator

13A 230V

59B NOISE



01291M

MAC QT100/10 OIL-FREE LOW NOISE COMPRESSOR

- Innovative quiet system for reduced 59dB operating noise level
- 2x slow-running 1.3hp 4-pole brushless induction motor for longer life
- Oil-free system for high-quality and clean air supply
- Double fan-cooled twin cylinder motor and pump units
- Built-in pressure cut-off switch and air regulator

13A 230V

59B NOISE



01297M

MAC V245/50 50LTR VERTICAL DRIVE COMPRESSOR

- Oil-free system for a maintenance-free clean air supply
- Space-saving vertical receiver reduces compressor footprint
- Lightweight and compact design for easy mobility and storage
- Integrated top-mounted control panel with easy-to-read gauge
- Ideal for mobile tasks, small to medium garages and workshops
- Euro-type fitting quick-release coupler

ITALIAN DESIGN

13A 230V



01117

MAC V300/100 100LTR VERTICAL DRIVE COMPRESSOR

- Oil-free system for a maintenance-free clean air supply
- Space-saving vertical receiver reduces compressor footprint
- Lightweight and compact design for easy mobility and storage
- Integrated top-mounted control panel with easy-to-read gauge
- Ideal for mobile tasks, small to medium garages and workshops
- Euro-type fitting quick-release coupler

ITALIAN DESIGN

13A 230V



01298M

MAC TN3/50-D DIRECT DRIVE COMPRESSOR

- Compact and mobile design mounted on wheels and feet
- Smooth V-Twin aluminium pump for high efficiency
- Efficient cooling system for an extended work life
- External air filters for easy access and maintenance
- Heavy-duty cast iron barrel for added durability

**13A
230V**

ITALIAN DESIGN

**HIGH 14CFM
PISTON
DISPLACEMENT**



01299M

MAC TN3/100-D DIRECT DRIVE COMPRESSOR

- Compact and mobile design mounted on wheels and feet
- Smooth V-Twin aluminium pump for high efficiency
- Efficient cooling system for an extended work life
- External air filters for easy access and maintenance
- Heavy-duty cast iron barrel for added durability

**13A
230V**

ITALIAN DESIGN

**HIGH 14CFM
PISTON
DISPLACEMENT**



06290M

MAC 3HP 150LTR 230V BELT DRIVE COMPRESSOR

- 13CFM (368ltr/min) piston displacement
- Oil-lubricated and belt-driven compressor
- Extra-strong moulded plastic guards for improved safety
- Multi-finned flywheel for improved cooling and long life
- Heavy-duty cast iron barrel for an increased service life
- Aluminium aftercooler for reduced moisture

MADE IN ITALY

**13A
230V**



06294M

MAC 3HP 200LTR 230V BELT DRIVE COMPRESSOR

- 13CFM (368ltr/min) piston displacement
- Oil-lubricated and belt-driven compressor
- Extra-strong moulded plastic guards for improved safety
- Multi-finned flywheel for improved cooling and long life
- Heavy-duty cast iron barrel for an increased service life
- Aluminium aftercooler for reduced moisture

MADE IN ITALY

**13A
230V**



01295M

MAC 4HP 200LTR BELT-DRIVEN COMPRESSOR

- 18CFM (510ltr/min) piston displacement
- Oil-lubricated and belt-driven workhorse compressor
- Extra-strong moulded plastic guard for improved safety
- Multi-finned flywheel for improved cooling and long life
- Heavy-duty cast iron barrel for an increased service life
- Heavy-duty B3800B pump for high performance in all tasks

MADE IN ITALY

**32A
230V**

**HIGH 18CFM
PISTON
DISPLACEMENT**



01111

MAC 5.5HP 17CFM INDUSTRIAL SCREW COMPRESSOR

- Electronic ETM II control; simple, easy-to-use and reliable
- IE3 premium efficiency motor for reduced costs and emissions
- Italian-manufactured air end which delivers constant airflow
- POLY-V belt-driven transmission for lower power losses
- Silenced cabinet enclosure for reduced noise levels
- Digital display shows pressure, hours, temperature

MADE IN ITALY

IE3 MOTOR

100% UK TESTED BEFORE DESPATCH



05378M

MAC 4.0-08-200ES MERCURY TRON SCREW COMPRESSOR WITH DRYER

- Electronic ETM II control; simple, easy-to-use and reliable
- IE3 premium efficiency motor for reduced costs and emissions
- Italian-manufactured FS14 air end delivers constant airflow
- Silenced cabinet enclosure for reduced noise levels
- Integrated refrigeration dryer for cooler air

MADE IN ITALY

32A 400V

IE3 MOTOR

100% UK TESTED BEFORE DESPATCH



01430M

MAC RS5.5-10-270DD/RD ROTARY SCREW COMPRESSOR

- IE3 high-efficiency motor with Italian-made air ends
- Efficient direct drive transmission and gearless connection
- Low noise level; soundproof cabinet and low speed radial fans
- Remote monitoring and control via PCs, smartphones, tablets
- Advanced electronic controller ensures optimal regulation
- Weekly programming with 9 independent operating programs
- Thermostatic-controlled centrifugal fan

MADE IN ITALY

IE3 MOTOR

100% UK TESTED BEFORE DESPATCH

32A 400V



01433M

MAC RS7.5-10-270DD/RD ROTARY SCREW COMPRESSOR

- IE3 high-efficiency motor with Italian-made air ends
- Efficient direct drive transmission and gearless connection
- Low noise level; soundproof cabinet and low speed radial fans
- Remote monitoring and control via PCs, smartphones, tablets
- Advanced electronic controller ensures optimal regulation
- Weekly programming with 9 independent operating programs
- Thermostatic-controlled centrifugal fan

MADE IN ITALY

IE3 MOTOR

100% UK TESTED BEFORE DESPATCH

32A 400V

01265

MAC 12V RESCUE PAC 1600

- 12v internal battery voltage
- 1600A boost peak rate and 700A cranking rate
- Rechargeable AGM portable pack for boost-starting
- 12v DC takeoff powers devices direct from booster
- Lightweight and compact design for portability
- Integrated LED charge rate indication



01267

MAC 12V/24V RESCUE PAC 3000

- 12v/24v internal battery voltage
- 3000A (12v) or 1500A (24v) boost peak rate
- 1200A (12v) or 600A (24v) cranking rate
- Rechargeable AGM portable pack for boost-starting
- 2x 12v DC sockets power devices direct from booster
- Reverse hook-up alarm and circuit overload protection
- Integrated LED charge rate indication



01236

MAC 12V 600A CAPACITOR BOOSTER

- Lightweight capacitor energy cell offers reliable performance
- No weight, inefficiency or deterioration of an internal battery
- 60 second preparation 'ready' time for fast boosting capability
- Powerful, portable and compact design
- Stores easily in gloveboxes and boots



BATTERYLESS CAPACITOR

01238

MAC 12V 1000A CAPACITOR BOOSTER

- Lightweight capacitor energy cell offers reliable performance
- No weight, inefficiency or deterioration of an internal battery
- 140 second preparation 'ready' time for fast boosting capability
- Powerful, portable and compact design
- Stores easily for emergency use



BATTERYLESS CAPACITOR

01237

MAC 12V 1000A CAPACITOR BOOSTER

- Lightweight capacitor energy cell offers reliable performance
- No weight, inefficiency or deterioration of an internal battery
- 90 second preparation 'ready' time for fast boosting capability
- Powerful, portable and compact design
- Stores easily in gloveboxes and boots



BATTERYLESS CAPACITOR

01019

MAC 12V SC 9800 CAPACITOR BOOSTER

- 9800A boost peak rate and 2200A cranking rate
- 6x 3400F ultracapacitors for high performance
- No internal battery means no maintenance needed
- LED indicators for accurate charge rate indication
- Over 1million cycles for an extended lifespan
- 15sec fast recharge from a running vehicle



**BATTERYLESS
CAPACITOR**



01021

MAC 12V/24V SC 18000 CAPACITOR BOOSTER

- 18000A (12v) or 9000A (24v) boost peak rate
- 4400A (12v) or 3400A (24v) cranking rate
- 10x 3400F ultracapacitors for high performance
- Reverse polarity protection with audible alert
- Digital charge rate indication for high accuracy
- Robust and shockproof ABS casing for durability



**BATTERYLESS
CAPACITOR**

01498M

MAC D15 DIGITAL BATTERY CHARGER

- 12v charging output
- 8-step fully automatic charging cycle
- Intelligent microprocessor for fast, easy and safe charging
- Lightweight and compact design
- Reverse polarity protection
- Crocodile clamps and leads
- Easy-to-read digital display



01245M

MAC D40 DIGITAL BATTERY CHARGER

- 12v/24v charging output
- 12v/24v battery charging with battery type auto detection
- 8-step fully automatic charging cycle
- Intelligent microprocessor for fast, easy and safe charging
- Lightweight and compact design
- Reverse polarity protection
- Heavy-duty crocodile clamps and leads
- Easy-to-read digital LCD display

01241M

MAC DSC250B DIGITAL STARTER CHARGER

- 12v/24v charging voltage and 250A (1v) peak start current
- 300Ah max. battery capacity and 30A max. charging current
- Auto detects 12v and 24v battery with 1v low activation voltage
- 4 charge rate settings for added versatility

01242M

MAC DSC350B DIGITAL STARTER CHARGER

- 12v/24v charging voltage and 350A (1v) peak start current
- 550Ah max. battery capacity and max. 50A charging current
- Auto detects 12v and 24v battery with 1v low activation voltage
- 4 charge rate settings for added versatility

01243M

MAC DSC600B DIGITAL STARTER CHARGER

- 12v/24v charging voltage and 600A (1v) peak start current
- 750Ah max. battery capacity and max. 70A charging current
- Auto detects 12v and 24v battery with 1v low activation voltage





01235M

MAC ISG1101 DIGITAL INVERTER GENERATOR

- 60cc EURO V petrol engine for 1100w max. output
- 2.4ltr fuel tank delivers a 3.5hr full load runtime
- Economy control switch for increased fuel efficiency
- Features 1x 230v, 1x 12v DC and 2x 5v USB outlets
- Low oil alert LED prompts user to refill vessel
- Compact design for outstanding portability

USB
OUTLET

EURO V

LOW
NOISE



01236M

MAC ISG2202 DIGITAL INVERTER GENERATOR

- 78.5cc EURO V petrol engine for 2000w max. output
- 4ltr fuel tank delivers a 3.5hr full load runtime
- Economy control switch for increased fuel efficiency
- Features 2x 230v, 1x 12v DC and 2x 5v USB outlets
- Low oil alert LED prompts user to refill vessel
- Compact design for outstanding portability

USB
OUTLET

EURO V

LOW
NOISE



01237M

MAC ISG3303 DIGITAL INVERTER GENERATOR

- 149.8cc EURO V petrol engine for 3000w max. output
- 6ltr fuel tank delivers a 3.5hr full load runtime
- Economy control switch for increased fuel efficiency
- Features 2x 230v, 1x 12v DC and 2x 5v USB outlets
- Low oil alert LED prompts user to refill vessel
- Wheel-mounted design with handles for mobility

USB
OUTLET

EURO V

01247M

MAC T5500W PETROL GENERATOR

- 390cc 4-stroke air-cooled EURO V OHV petrol engine
- 5500w peak output and 5000w contin. rated output
- 12v DC battery charging up to 40Ah batteries
- 230v (32A) and 110v (32A) AC output sockets
- AVR delivers stable non-fluctuating power
- Wheel-mounted framed design with handles

EURO V



01286M

MAC T5500 SILENCED DIESEL GENERATOR

- 5.5kVA (5.5kW) peak / 5kVA (5kW) continuous outputs
- 16ltr fuel tank: 7.5hrs runtime at 100% load and 15hrs at 50% load
- 110v and 230v supply with AVR (Automatic Voltage Regulator)
- Heavy-duty powder-coated silenced generator cabinet
- Dual purpose digital display indicates volts and runtime
- Fitted with large wheels for rough terrain surfaces

SILENCED

EURO V

01253M

MAC 2 TON LOW-PROFILE JACK WITH AUTOLOCK

- 75mm to 500mm lifting height range
- Integrated Auto Lock system locks-in at 390mm
- Turbo-Lift system for easier and efficient jacking
- Controlled descent and hold-to-run controls
- Hard chromed main ram and dual pump pistons
- Comfortable rubber grip with extra long handle

LOW-PROFILE

3-IN-1 WITH AUTOLOCK SYSTEM

EUROPEAN DESIGN



01288M

MAC 30 TON BOTTLE JACK

- 285mm to 465mm lifting height range
- Heavy-duty wide cast iron base helps spread weight evenly
- Designed for both horizontal and vertical operation
- Polished main ram and chromed pump linkage
- Integrated overload protection for safety
- Lightweight and compact design for easy mobility



01254M

MAC 20 TON AIR BOTTLE JACK

- 245mm to 475mm lifting height range
- 80mm screw extension for improved versatility
- Designed for horizontal and vertical operation
- Aluminium air motor for heavy-duty performance
- Polished ram and chromed pump pistons
- Integrated overload protection

EUROPEAN DESIGN



EUROPEAN DESIGN

01271M

MAC 20 TON LOW-PROFILE AIR BOTTLE JACK

- 148mm to 260mm lifting height range
- 45mm screw extension for improved versatility
- Low-profile design ideal for performance vehicles
- Designed for horizontal and vertical operation
- Aluminium air motor for heavy-duty performance
- Air filters help prevent contamination



03613
**MAC 680KG
 UTILITY STAND**

- Designed to use when working under vehicles
- Provides safe and secure vehicle component support
- 1365mm to 2015mm adjustable load support range
- Slim design makes working in tighter spaces easier
- Versatile screw adjustment for fine-tuned positioning



01103
MAC 350KG ENGINE STAND

- 340kg (750lb) support for engines and gearboxes
- 360° rotation for easy and versatile access
- 4 adjustable mounting arms for fine-tuned positioning
- 2 wheels and heavy-duty swivel castor for mobility
- Heavy-duty yet compact design with small footprint
- Ideal for a range of mechanics and DIY enthusiasts



01105
**MAC 20 GALLON
 STEEL PARTS
 WASHER**

- Large 90ltr (20 gallon) capacity for a variety of workpieces
- 136ltr/hr (30 gallon) pumping rate for powerful performance
- Self-latching lid with fusible link which shuts in event of fire
- Floor-standing design with a space-saving reduced footprint
- Manufactured from heavy-duty steel for high durability
- Flexible nozzle for easy adjustment and coverage

01190

MAC 1 TON FOLDABLE ENGINE CRANE

- 1 TON (1000kg) max. weight capacity
- 2050mm lifting height for clearing vehicle bays
- Heavy-duty 4 TON ram for powerful performance
- 4-hole precision boom with 4 weight stages
- Folding legs and boom design for simple storage
- 6 hard-wearing castors provide added mobility



01207M

MAC 2 TON FOLDABLE ENGINE CRANE

- 2 TON (2000kg) max. weight capacity
- 2250mm lifting height for clearing vehicle bays
- Heavy-duty 6 TON ram for powerful performance
- 4-hole precision boom with 4 weight stages
- Folding legs and boom design for simple storage
- 6 hard-wearing castors provide added mobility



01249M

MAC 1 TONNE ADJUSTABLE GANTRY CRANE FRAME

- 1 TONNE safe workload for versatile performance
- Adjustable height range from min. 2.4mtr to max. 3.6mtr
- Mobile gantry crane frame ideal for garages and workshops
- Heavy-duty painted steel design with 'I' section crossbeam
- 4 industrial-grade lockable swivel castors for positioning
- Ideal for repair, maintenance, servicing and handling

01106

MAC ENGINE CRANE LEVELLER

- 680kg maximum weight capacity
- Ideal for cars, vans, trucks and marine vehicles
- Suitable for engine cranes and block and tackle systems
- Fine screw adjustment levels off-centre loads quickly
- Robust metal frame with heavy-duty load chains



01209M

MAC 500KG TRANSMISSION JACK

- 1175mm to 1995mm lifting height range
- Ideal for raising or lowering transmissions and gearboxes
- Heavy-duty base with swivel castors for easy positioning
- Large footprint provides stability and even distribution
- Oversized foot pedal for quick, safe and simple lifting
- Integrated spring-loaded release valve



01108

MAC TRANSMISSION ADAPTOR

- 340kg (750lb) maximum weight capacity
- Adjustable forward, backward and side-to-side tilting
- Feet and twin spindles are adjustable over whole length
- Manual screw rod adjustment for fine-tuning positioning
- Suitable for a variety of transmission jacks



01135

MAC 1 TON TRANSMISSION JACK WITH ADAPTOR

- 1258mm to 2145mm lifting height range
- Supplied with a FREE Transmission Adaptor
- Ideal for raising or lowering transmissions and gearboxes
- Heavy-duty base with swivel castors for easy positioning
- Large footprint provides stability and even distribution
- Integrated spring-loaded release valve



01273M

MAC 12 TON SHOP PRESS


- 0mm to 918mm work range and a 180mm ram stroke
- Ideal for bending, bonding, straightening applications
- Bearing, wrist pin, universal joint or pulley removal
- Fully adjustable workbed for improved versatility
- Heavy-duty steel frame for increased durability
- Integrated Glycerine-filled manometer



01104

MAC 20 TON FLOOR-MOUNTED SHOP PRESS


- 29.5mm to 989.5mm work range and a 185mm ram stroke
- Ideal for bending, bonding, straightening applications
- Bearing, wrist pin, universal joint or pulley removal
- Fully adjustable workbed for improved versatility
- Heavy-duty steel frame for increased durability
- Integrated Glycerine-filled manometer



01275M

MAC 30 TON SHOP PRESS

- 151mm to 1031mm work range and a 150mm ram stroke
- Ideal for bending, bonding, straightening applications
- Bearing, wrist pin, universal joint or pulley removal
- Fully adjustable workbed for improved versatility
- Heavy-duty steel frame for increased durability
- Integrated Glycerine-filled manometer



01233M

MAC 20" HEAVY-DUTY ORBITAL FLOOR FAN

- Powerful airflow via heavy-duty 3-blade fan
- Variable speed settings up to max. 1300rpm
- Orbital airflow function with 720° coverage
- Sturdy and compact design allows easy movement
- Solid mesh steel guarding for greater safety



01246M

MAC 20" HEAVY-DUTY FLOOR FAN

- Powerful airflow via heavy-duty 5-blade fan
- Variable speed settings up to max. 1350rpm
- Tilting fan head for dynamic air circulation
- Robust and balanced steel frame for stability
- Solid mesh steel guarding for greater safety



13A
230V



13A
230V

01234M

MAC 24" HEAVY-DUTY DRUM FAN

- Powerful airflow via heavy-duty 3-blade fan
- Variable speed settings up to max. 1300rpm
- Adjustable tilting head with 360° rotation
- Wheel-mounted cradled steel frame for mobility
- Solid mesh steel guarding for greater safety



13A 230V



SLIM DRUM DESIGN



VARIABLE THREE SPEED FAN SETTING



HANDLE FOR EASY MOVEMENT

01257

MAC 18" OSCILLATING PEDESTAL FAN

- Powerful airflow via heavy-duty 3-blade fan
- Variable speed settings up to max. 1300rpm
- Oscillating and adjustable head travels 180°
- Adjustable pedestal for purposeful circulation
- Extra-long 2.5mtr power cable for easy positioning
- Solid mesh steel guarding for greater safety

13A 230V



01018

MAC 20LTR DEHUMIDIFIER

- 5 operating modes for superb flexibility
- 20ltr/day extraction and 6.5ltr collection tank
- Auto switch-off function prevents excess collection
- Timer setting for specific dehumidifying sessions
- Automatic humidity indicator level

13A 230V



01259

MAC 4-IN-1 AIR CONDITIONER

- All-in-one multi-purpose unit with four operating modes
- Air conditioners, dehumidifier, fan and heater settings
- Easy-to-use electronic control panel with remote control
- Wheel-mounted design for easy mobility and positioning
- 1.5mtr expanding air duct with tail, baffle and adaptor

4-IN-1 FUNCTION

13A 230V



Supplied by:

Item № 00498

Members of the British Franchise Association
www.mactools.co.uk



For more information on any products contained within this booklet contact:

MAC HOTLINE 01509 500384

We reserve the right to change promotion details or product specifications without notice.

Photographs are for illustration purposes only. E&OE. Contents & images are copyright © & cannot be reproduced without express written permission.